Specifications

350 Digital Booklet System

| Components | DSF-2200 Sheet Feeder DBM-350 Bookletmaker DBM-350T Trimmer PC control software | | | |
|--|--|--|--|--|
| Dimensions (L x W x H) | 3.1 x 0.75 x 1.03 metres (minimum access at rear 0.6m) | | | |
| Weight | DSF-2200 115 kg DBM-350 210 kg DBM-350T 70 kg Trail Edge Air Kit 12 kg Preloading Kit 15 kg | | | |
| Power | 230 VAC , 50 Hz , 4 A | | | |
| Paper capacity | Main feed tray 200 mm media stack height Auxilary feed tray 65 mm | | | |
| Paper weight | 60 to 300 gsm | | | |
| Saddle stitched booklets | Length: 200 to 460 mm Width: 148 to 320 mm (105 with small booklet kit) | | | |
| Booklet output | Length: 85 to 230 mm (100 to 230 mm when small booklet kit installed) (20mm max fore edge trim) Width: 105 to 320 mm | | | |
| Side stitched documents (with side stitch kit) | Length: 200 to 216 mm Width: 257 to 297 mm | | | |
| Stitch &/or fold capacity | 20 sheets x 80 gsm | | | |

Standard Features

| Feeding System | Belt suction, top feed, air separation from fan and pumps |
|--|---|
| Microsoft Windows-based graphical user interface | Job programming, save and recall, automated set-up |
| Standard features | OMR end of set mark reader, Ultrasonic double sheet detection, Hand feeding, Active anti-static bar. |

Options for DSF-2200

| Bar code reader kit | Fits two trays. 1D & 2D codes supported 39, 93, 128, 2of5, Datamatrix |
|---------------------|---|
| Trail Edge Air Kit | |
| Preloading Tray Kit | |

Options for DBM-350

| Corner stitch kit | For side or corner stitching |
|------------------------|------------------------------|
| Small booklet kit | |
| Hohner stitching heads | |

Options for ASM-350

| Produces square spine finish | |
|------------------------------|--|
| Booklet sizes | Length: 80 to 250 mm Width: 120 to 350 mm Thickness: 1mm to 6.5 mm |
| Dimensions | Replaces delivery conveyor with same overall length |
| Weight | 132 Kg |
| Power | 230 VAC, 50 Hz, 3 A |

| Number of Sheets | | oks per hour Separate cover | | ooks per hour Separate cover | With ASM-350 |
|------------------|------|--------------------------------|------|---------------------------------|-------------------|
| 2 | 2394 | 2907 | 2250 | 2854 | Limit 1400 |
| 5 | 1537 | 1748 | 1360 | 1482 | Limit 1400 |
| 10 | 969 | 1020 | 770 | 855 | Limit 1400 |
| 15 | 741 | <i>7</i> 98 | 580 | 645 | Limit 1400 |
| 20 | 570 | 627 | 400 | 456 | Limit 1400 |

Duplo International Limited

Automated Precision House Hamm Moor Lane Addlestone Surrey KT15 2SD

Tel +44(0) 1932 263 900 - Fax +44(0) 1932 263 901 info@duplointernational.com www.duplointernational.com

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

Duplo is a trade mark of the Duplo Corporation.

Duplo has a policy of continuous improvement and reserves the right to amend the above specification without prior notice

Production rates are based on optimal operating conditions and may vary depending on stock and environmental conditions.

As part of our continuous product improvement program, specifications are subject to change without notice.







350 DIGITAL BOOKLET SYSTEM

MID-VOLUME BOOKLETMAKER DESIGNED FOR DIGITAL PRINT

Barcode control for personalised documents
PC for easy programming and operation
Supports multiple digital presses

Brochures, Reports, Catalogues, Yearbooks, Newsletters, Price Lists



DJ286-350 DBS Brochure.indd 1-2 09:29

The 350 Digital Booklet System marries the DSF-2200 Sheet Feeder with the DBM-350 Bookletmaker and Trimmer to create a cost-effective mid-range bookletmaking system ideal for a wide range of applications from mono and colour digital presses.

Near-line finishing allows:

A wide variety of digital print to be handled without being tied to one particular legacy of print engine, or reducing the speed of the press to suit the inline finisher as often happens.

Production speeds of typically 2 or 3 times faster than printing speeds, meaning that the work from multiple engines can go through one finishing line.

Production of small and odd-size booklets that can be printed 2-up on a sheet; providing a broader range of finished job and halving print costs.

Scalable architecture. Interchange system components and features as your business grows.

Merging of sheets that have been produced in some separate process.


Press usage that is independent of finishing demands or availability.

Job control and security by using barcodes to assure accurate production.

Operation can typically be made by the press operator while also running the press(es).

A wide range of finished document sizes and formats - at faster than press speed Manage and control system Personalised and high-value from one central PC interface documents Add a cover after UV coating Merge mono and colour print or laminating Accept work from multiple presses Documents with variable content and number of pages Load & Go - run by the press operator Square Spine Trim Press Fold Wire Stitch Collate Control





All-round sheet separation PC Controller

DSF-2200 SHEET FEEDER



Although it is common for a digital press to produce a complete job ready collated in sequential order, many presses will slow down when the weight of paper changes considerably - to allow the engine to adjust to the correct temperature - or when a preprinted cover is inserted to the paper path. Two paper feed trays in the DSF-2200 allow the combination of main content pages with covers that have been offset printed, printed on a separate digital press, UV coated or laminated.



To support the wide range of media and digital press types now available, the feed trays feature front and side air separation, ultrasonic double feed detection, and an anti-static device as standard to tackle the common effects of heat, curl and static electricity. Unlike feeding systems using a single vacuum drum, the Duplo has a large feed head using multiple belts that lift and feed the sheets accurately and quickly.

DBM-350/T BOOKLETMAKER



Duplo's fully automatic, mid-range DBM-350 Bookletmaker meets the needs of a busy digital print environment conscious of budget expenditure, but needing to produce a broad range of quality material. Typical production is a wide variety of booklet sizes of A4, A5, A6, A5 landscape and custom sizes of up to 20 sheets. Hand feeding is also possible.



Stitching heads provide for a heavier duty cycle and lower running costs compared to staples. Loop form stitches are also possible, allowing the booklet to be filed in a ring binder. An integrated spine press creates flatter books for a better finish.



One fore-edge trim creates a final neat finish to the booklet.



PC Controller: Create, save and recall multiple programmes through a Microsoft Windows PC based operator interface.

STANDARD FEATURES


Active Antistatic: Removes static from digitally printed sheets, improving feeding and finished book quality.

Ultrasonic Double Sheet Detection:Accurately detects double sheets, stopping the process before entering the system and causing errors.

Optical Mark Recognition: Provides an additional level of security for the operator in case there is a printing error that has caused a sheet to be missing.

Removable Feed Tray: Rolls away for easier loading and reduced operator stress.

OPTIONS



Trail Edge Air Kit: Air is fed under pressure from the front and side of the stack of sheets to ensure clean separation for feeding; but for long formats and very high levels of static, an additional source is available for the operator to position as necessary.

Pre-Loading Kit: The lower tray rolls out from the feeder for easy access, but this accessory allows the operator to preload and align sheets to the tray prior to loading into the feeder.

ASM-350 Square-Spine: A common favourite for customers in the digital print market, the ASM-350 produces a square perfect-bound effect finish. This can be bypassed when not required.







Preloading Tray

DJ286-350 DBS Brochure.indd 3-4